

NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 04/12/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400 or send an email to tracy.sargent@state.de.us. Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water; Web Site: www.awm.delaware.gov

NEWS UPDATES:

NATIONAL PRESCRIPTION DRUG TAKE BACK DAY - The Drug Enforcement Administration (DEA) is hosting a second National Prescription Drug Take Back Day. Due to the overwhelming success of the first event, DEA has scheduled the second National Prescription Drug Take Back Day which will take place on **Saturday, April 30, 2011, from 10:00 am - 2:00 pm**. This is a great opportunity for those who missed the first event or who have subsequently accumulated unwanted, unused prescription drugs, to safely dispose of them. For a collection site near you or additional information, please visit:

http://www.deadiversion.usdoj.gov/drug_disposal/takeback/index.html

UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:

CLEAN WATER ADVISORY COUNCIL – The Clean Water Advisory Council will hold a public meeting to discuss wastewater and stormwater issues on April 19, 2011 from 9:00am – 12:00pm at the Kent County Administrative Complex Room 220, 555 S. Bay Road, Dover - DE, 19901. For additional information, please contact Jessica Velazquez at (302) 739-9941 or visit:

<http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/0A4CF129CEBE057C852577FB005168D0?open>

DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:

CHESWOLD TRANSFER STATION APPLICATION FOR SOLID WASTE PERMIT

RENEWAL - Notice is hereby given by the Solid and Hazardous Waste Management Branch (SHWMB) that the Delaware Solid Waste Authority's (DSWA) Cheswold Recycling Center (CRC) has applied for a solid waste permit renewal to operate a solid waste transfer station at County Road 153 near Hughes Crossing in Cheswold. The CRC seeks to renew its current solid waste permit, SW-01/04, which allows the collection and transfer of bagged household waste from Delaware residents only. The CRC is not requesting any changes to the current solid waste permit. A public hearing on the above permit application will NOT be held unless the Secretary of DNREC receives a request for a hearing by April 21, 2011. For additional information, please contact David Perrego or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1062&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx>

BROWNFIELDS DEVELOPMENT PROGRAM – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Branch (SIRB) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation

and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRB's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER FOULK ROAD GETTY SITE (DE-1482)

- The Site Investigation and Restoration Branch (SIRB) invites public comment on a proposal to clean up a portion of the Former Foulk Road Getty at 1712 and 1708 Foulk Road in Wilmington. The 1.01 acre Site was a gas station and auto repair garage that included fuel islands. The Site groundwater and soil were contaminated with substances related to petroleum. The comment period ends on April 12, 2011. For additional information, please contact Krystal A. Stanley or Robert Newsome at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1047&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

PROPOSED PLAN OF REMEDIAL ACTION FOR THE UP THE CREEK SITE (DE-1384)

- The Site Investigation and Restoration Branch (SIRB) invites public comment on a proposal to clean up the Up the Creek Site at 1195 East 7th Street in Wilmington. The 4.52 acre Site is currently an abandoned boat yard with a closed restaurant and marina. The site is contaminated with elevated concentrations of metals and several semi-volatile organic compounds due to historic filling and operations of the property. Also, burnt metal and plastic were observed in an isolated area where a burn pit was previously located. The comment period ends on April 15, 2011. For additional information, please contact Morgan Price or Robert Newsome at (302)395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1049&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE DELTA OUTREACH CENTER SITE (DE-1504)

- The Site Investigation and Restoration Branch (SIRB) is negotiating a Brownfields Development Agreement (BDA) with Delta Outreach and Educational Center, Incorporated regarding the Delta Outreach and Educational Center Site (Site) located at 330 East 30th Street in Wilmington. Known by New Castle County as tax parcel number 26-023.00-031, the 1.62 acre Site may contain hazardous substances as a result of past industrial use containing historic fill. A Phase I Environmental Site Assessment performed by Ten Bears Environmental, LLC revealed elevated levels of contaminants such as polychlorinated biphenyls, polycyclic aromatic hydrocarbons and copper in soil samples and TCE in groundwater samples. For additional information, please contact Morgan Price at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1044&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER CHESAPEAKE SUPPLY SITE (DE-1334)

- The Site Investigation and Restoration Branch (SIRB) has adopted a plan to clean up the Former Chesapeake Supply Site located at 238 Railroad Avenue in Dover. The 1.75-acre property consists of a vacant grassy lot and five buildings, which are used as office space and storage for Habitat for Humanity. The SIRB solicited written comments on the Proposed Plan for 20 days, from February 16 to March 8, 2011. No comments were received. The site groundwater has been impacted by tetrachloroethene (PCE) and chromium above DNREC groundwater standards. The PCE contamination is from an offsite source. For additional information, please contact Rick Galloway or Robert Newsome at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1058&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

FINAL PLAN OF REMEDIAL ACTION FOR THE 680 FOREST STREET SITE

(DE-1451) - The Site Investigation and Restoration Branch (SIRB) has adopted a plan to clean up the 680 Forest Street Site located at 680 Forest Street in Dover. The approximately 1-acre property has offices, beauty salon and a warehouse. A portion of the Site is the Dover Interfaith Mission which provides shelter for homeless men. Surface soil at a hotspot near the center of the Site is contaminated with arsenic and polycyclic aromatic hydrocarbons (PAHs)- benzo(a)pyrene, dibenzo (a,h) anthracene, benz(a) anthracene, and benzo (b)fluoranthracene. Groundwater is contaminated with trichloroethene (TCE), tetrachloroethene (PCE) and methyl tert-butyl ether (MTBE) from an offsite source. The public may appeal this final plan until April 19, 2011. For additional information, please contact Rick Galloway or Robert Newsome at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1057&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NOTIFICATION OF NEGOTIATIONS FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 901 EAST 17TH STREET SITE (DE-1505)

– The Site Investigation and Restoration Branch (SIRB) is negotiating a Brownfields Development Agreement (BDA) with Vandever Avenue Civic Association regarding the 901 East 17th Street Site (Site) located at 901 East 17th Street in Wilmington. Known by New Castle County as tax parcel number 26-029.40-283, the 0.03 acre Site may contain hazardous substances as a result of past use that included operation as a former dry cleaner. For additional information, please contact Kate Durant at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1043&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NOTIFICATION OF NEGOTIATIONS FOR BROWNFIELDS VOLUNTARY CLEANUP PROGRAM AGREEMENT FOR THE FORMER DEFIANCE

ATHLETIC CLUB SITE (DE-1503) - The Site Investigation and Restoration Branch (SIRB) is negotiating a Brownfields Voluntary Cleanup Program (VCP) Agreement with Wilmington Housing Partnership regarding the Former Defiance Athletic Club Site (Site) located at 1007 Coleman Street in Wilmington. Known by New Castle County as tax parcel number 26-049.10-080, the 0.16 acre Site may have had a release of hazardous substances as a result of past use as an air conditioner repair shop that had a gasoline fuel pump to fuel vehicles. For additional information, please contact Todd Keyser at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1048&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

AIR QUALITY PERMITTING PROGRAM – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Joanna Austin at the Dover Office at (302) 739-9402.

FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATIONS -

Notice is hereby given that the following have filed an application:

PATS Aircraft Systems having a facility at 21652 Nanticoke Avenue, Georgetown, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for a spray booth to apply adhesives. Maximum emissions from the spray booth will be 0.50 tons per year of

particulate matter (PM) and 6.2 tons per year for volatile organic compounds (VOC). Actual emissions from the new booth will be 0.0002 tons per year of PM and 1.5 tons per year of VOC's. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Synthetic Minor Permit: APC-1998/0536 via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request by April 26, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1053&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Mountaire Farms of Delaware, Inc. having a facility at 29106 John J. Williams Highway, Millsboro, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for three natural gas boilers to replace one boiler fired on No. 6 fuel oil. The permit will decrease PM10 emissions by 28.5 TPY and NOx emissions by 10.0 TPY. Permitted emissions for all three boilers are 4.29 TPY PM10, 0.73 TPY SOx, 14.97 TPY NOx, 15.63 TPY CO and 1.71 TPY VOC. Operating hours for each boiler have been restricted to 8,736 hours/year to comply with Minor New Source Review for NOx. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-005/00004(R2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by May 3, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1061&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

University of Delaware having a facility at Bob Carpenter Center, Newark, has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for 3 natural gas boilers. The permit for each natural gas boiler will have potential to emit to 0.1 TPY of SOx, 6.4 TPY of NOx, 10.7 TPY of CO, 1.0 TPY of TSP, & 0.7 TPY of VOCs based on twelve month rolling period. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit AQM-003/00022(Renewal 2) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request by May 3, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1059&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

TITLE V PERMIT RENEWAL APPLICATIONS - Notice is hereby given that the following companies have filed an application:

Delaware City Refining Company, LLC – Delaware City Sales Terminal having a facility at 4550 Wrangle Hill Road, Delaware City, Delaware, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7. This “draft/proposed” permit renewal renews the terms and conditions of the existing Title V permit for another 5 years. The Company did not propose any changes to the Sales Terminal permit. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for such hearing by May 3, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1059&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

[D=1060&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx](http://www.dnrec.de.gov/Lists/Public%20Notices%2FAIItems%2Easpx?ID=1060&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx)

Dassault Falcon Jet – Wilmington Corp having a facility at 191 North DuPont Highway, New Castle, has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-003/00365. This “draft/proposed” permit renewal renews the facility’s current Title V operating permit. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request by May 10, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1065&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

TITLE V SYNTHETIC MINOR PERMIT APPLICATIONS - Notice is hereby given that Orient Corporation of America has submitted an application, pursuant to 7 DE Admin. Code 1102, Section 2.1, 11.2.9, and 12.3 for construction of a thermal oxidizer at 111 Park Avenue, Seaford, Delaware. Orient Corporation of America requests a limit for VOC/HAP and NOx emissions based on controlling emissions with a thermal oxidizer. These limits are necessary to restrict Orient Corporation of America potential to emit air pollutants, and the limit will be enforceable by the EPA and the state. Total estimated emissions from the thermal oxidizer are 0.61 TPY VOC/HAP and 22.0 TPY NOx. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request by May 10, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1066&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

WATER PERMITTING PROGRAM - The Division of Water monitors, manages and protects Delaware’s ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs.

WELL PERMITS – The following have submitted applications:

Burton Givens needs to construct an irrigation well. The well is proposed to be 180 feet deep and 8 inches in diameter. This site is located 200’ north of Sycamore road and east of Rt 13. The well is about 2 miles from Laurel. The desired capacity of this well is 600 gpm.

DNREC Park & Recreation needs to construct an irrigation well. The well is to be 125’ deep and 10 inches in diameter. This site is located on the east side of Cr 271 and east of Rt 1. The well is about a half mile from Rehoboth Beach. The desired capacity of this well is 500 gpm.

Edward Steen needs to construct an irrigation well. The well is to be 80’ deep and 8 inches in diameter. This site is located on the south side of Shiloh Church road and east of Johnson Road. The well is 3 miles from Laurel. The desired capacity of this well is 600 gpm.

Trap Pond State Park needs to construct an irrigation well. The well is to be 120’ deep and 6 inches in diameter. This site is located approximately on the north of Cypress road and west of Cr 450. The well is about 5 miles from Laurel. The desired capacity of this well is 80 gpm.

Leo Zitvogel needs to construct an irrigation well. The well is proposed to be 70’ deep and 4 inches in diameter. This site is located on the south

side of Oak road and east of Haven road. The well is about 4 miles south east of Bridgeville. The desired capacity of this well is 100 gpm.

Lois Ryan Trustee needs to construct an irrigation well. The well is proposed to be 90' deep and 8 inches in diameter. This site is located on the east side of Cr 509 and north of Rt 54. The well is about 4 miles west of Delmar. The desired capacity of this well is 600 gpm.

Earl Savage needs to construct an irrigation well. The well is proposed to be 100' deep and 8 inches in diameter. This site is located on the west side of Cr 390 and south of Cr 382. The well is about 3 miles from Frankford. The desired capacity of this well is 600 gpm.

Becky Lin/Joseph Beck needs to construct an irrigation well. The well is to be 80' deep and 6 inches in diameter. This site is located south of Cr 484 and west of Old Furnace Rd. The well is about 5 miles east of Laurel. The desired capacity of this well is 100 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC receives a request by April 18, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1063&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

H. Richard Brumbley needs to construct an irrigation well. The well is proposed to be 80' deep and 8 inches in diameter. This site is located 900' north of Oak Bridge road and east of Rt 13. The well is 5 miles southeast of Delmar. The desired capacity of this well is 400 gpm.

Hong Nguyen needs to construct an irrigation well. The well is to be 80' deep and 6 inches in diameter. This site is located 3000' north of Hill road and east of Atlanta road. The well is about 6 miles west of Bridgeville. The desired capacity of this well is 300 gpm.

Ronald Robbins needs to construct an irrigation well. The well is to be 90' deep and 8 inches in diameter. This site is located on the north side of Wards Branch road and west of Rt 15. The well is a mile north west of Milford. The desired capacity of this well is 350 gpm.

Donald Collins needs to construct an irrigation well. The well is to be 80' deep and 8 inches in diameter. This site is located approximately on the south side of Mission road and west of Rt 24. The well is about 2 miles from Millsboro. The desired capacity of this well is 600 gpm.

Ronnie Gaines Trustee needs to construct an irrigation well. The well is proposed to be 100' deep and 12 inches in diameter. This site is located on the south side of Cr 507 and west of Cr 76. The well is about 4 miles north of Delmar. The desired capacity of this well is 1000 gpm. A public hearing on the above applications will NOT be held unless the Secretary of DNREC receives a request by April 25, 2011. For additional information, please contact Patty Murray at (302) 739-9945 or visit:
<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1067&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

SUBAQUEOUS LANDS PERMIT APPLICATIONS – The following have submitted applications:

Chesapeake Utilities Corporation-To install an 8 inch diameter by 63 foot long HDPE natural gas main under the St. Jones River by horizontal directional drill at the Court Street bridge, Dover.

Chesapeake Utilities Corporation-To install a 6 inch diameter by 135 foot long HDPE natural gas main under the Lewes and Rehoboth Canal by horizontal directional drill at the Theodore Freeman Highway bridge, Lewes.

Eastern Shore Natural Gas-To install a 10 inch diameter by 280 foot long natural gas main under the Nanticoke River by horizontal directional drill at the Sussex Highway bridge, Seaford.

Joseph Meyer To install a boat lift with 4 pilings in the Indian River at 28024 Possum Point Road, Millsboro.

City of Milford-To construct an 8 by 16 foot pier, a 4 by 24 foot gangway and an 8 by 40 foot dock in the Mispillion river, at the end of Marshall Street, Milford.

A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by April 19, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1056&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

WETLANDS AND SUBAQUEOUS LANDS APPLICATIONS – The following have submitted an application:

Charles and Diane Donohue-To install 200 linear feet of stone rip-rap, 1,200 square feet of fill and plant with native vegetation in an unnamed tributary of Beaverdam Creek at 38 Cripple Creek Run, Milton.

Fork Landing Farm, LLC-To construct a 4 by 80 foot wetland walkway, a 4 by 10 foot pier and a 5 by 25 foot dock in Deep Branch, at the Community Common Area, Parcel B, Fork Landing Farm, south of Cedar Beach Road, east of Rehoboth Blvd, Milford. (WE, S)

A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by April 19, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1056&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

NPDES PERMITS – The following have submitted an application:

Croda Inc. has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE 0000621 and State Number WPCC 3256E/74) to discharge non-contact cooling water and storm water from its facility to the Delaware River and Magazine Ditch. The facility is located at 315 Cherry Lane in New Castle. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by April 15, 2011. For additional information, please contact Anthony Hummel at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1034&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

WASTEWATER FACILITIES CONSTRUCTION PERMIT APPLICATIONS - The City of Harrington and Cabot Creek, LLC to construct approximately 9,334 linear feet of 8" PVC, 48 linear feet of 8" DIP, 42 manholes, 6,200 linear feet of 6" force main, one (1) submersible pump station containing dual pumps and associated appurtenances to serve the proposed 185-unit Cabot Creek residential subdivision, to be located at the intersection of Butler Road (Road 429) and Doctor Smith Road (Road 431), City of Harrington. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request

by April 20, 2011. For additional information, please contact Molly Mackil at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1064&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

REQUEST FOR AGRICULTURAL UTILIZATION PERMIT – SAWYER’S SANITATION SERVICE, INC.

- Sawyer’s Sanitation Service, Inc. of Leipsic, has applied for a permit, for the agricultural utilization of grease trap waste (GTW) residuals generated in food preparation establishments within the State of Delaware and box assembly wash down waste water residuals containing water soluble non-hazardous adhesives from within the State of Delaware, under Part’s III and V of the Department’s Guidance and Regulations Governing the Land Treatment of Wastes. The GTW and box assembly waste residuals will be required to undergo periodic analysis for a list of specific parameters including nutrient content. Waste residual application volume will be land applied in accordance with rates established in Sawyer’s Sanitation agricultural utilization permit and will not contain sanitary waste. A public hearing on the above application will NOT be held unless the Secretary of DNREC a request by. April 28, 2011. For additional information, please contact Brian Churchill at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1054&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

CONTACT INFORMATION:

24-Hour Report and Spill Notification Line - 1-800-662-8802
Aboveground Storage Tanks - 302-395-2500
Air Quality - New Castle Office - 302-323-4542
Asbestos New Castle - 302-323-4542
Asbestos Kent & Sussex - 302-739-9402
Biosolids Permits - 302-739-9946
Boiler Safety - 302-744-2735
Brownfields - 302-395-2600
Delaware Estuary Program - 302-739-9949
Division of Air Quality Director’s office - 302-739-9402
Division of Waste and Hazardous Substances Director’s Office - 302-739-9400
Division of Water Director’s Office - 302-739-9950
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 739-9943
Emergency Prevention and Response - 302-739-9404
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802
Hazardous Waste - 302-739-9403
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941
Medical Waste - 302-739-9403
Non-Hazardous Liquid Waste Transporters - 302-739-9948
On-site Wastewater Licensing Program - 302-739-9948
Open Burning - 302-739-9402
Outreach Ombudsman - 302-395-2515
Recycling - 302-739-9403
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739-9947
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program - 302-856-4561
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600
Solid Waste - 302-739-9403
Source Water Protection - 302-739-9945
Stormwater Permits - 302-739-9946
Surface Water Discharge Permits (NPDES) - 302-739-9946

Underground Injection Control & Spray Irrigation - 302-739-9948
Underground Storage Tanks - 302-395-2500
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits –
302-739-9946
Wastewater Treatment Facility Operators - 302-739-9946
Water Allocation Permits - 302-739-9945
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630
Well Driller's License - 302-739-9944
Well Permits & Licensing - 302-739-9944